No.



9600084

# AHIE UNIKHEID SYMMIES OF MUIERIGA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

# Busch Agricultural Resources, Inc.

Maters, there has been presented to the

### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR EXPRING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT OF BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

BARLEY

'B3213'

In Testiment Aperest, I have hereunto set my hand and caused the seal of the Hant Bariety Arctection Office to be affixed at the City of Washington, D.C. this thirtieth day of April in the year of our Lord one thousand nine hundred and ninety-six.

Made

Marsha A. Sanger

f-lant Variety Frotection Office Syricultural Wharbeting Service , HMOMENT Secretary of Suriculture EXHIBIT A

ORIGIN AND BREEDING HISTORY OF 6B88-3213- 332

PEDIGREE: NDSU bulk selection/M30//Robust/3/B1602

DATE OF CROSS: 1985

HISTORY: The selection 6B88-3213 originated in Moorhead, Minnesota as an F4 headrow. It was first tested in replicated yield trials in 1988 at Moorhead and Climax, MN. The selection was entered in the Mississippi Valley Uniform Regional Barley Nursery 1993 through 1995. It is targeted as a six-rowed malting barley for midwestern barley production. Head selections were made in 1991 to initiate purity and multiplication. In 1992 headrows were bulked for Breeder seed. Breeder seed was produced in 1995. Certified seed will be available in 1998.

per letter 4/16/96 mars

#### AMENDMENT TO EXHIBIT A

PV Application No. 9600084, BARLEY, <6888-3213> 33213

-per letter 4/16/96 MAH

#### PEDIGREE:

NDSU bulk selection/M30//Robust/3/B1602

NDSU bulk selection consisted of experimental breeding lines derived from commonly grown 6-row malting varieties common to the upper midwest barley growing region from the six-row breeding program at North Dakota State University in 1976.

M30 was an experimental line developed by the University of Minnesota an entered in the Uniform Mississippi Valley Barley Nursery in 1976. Parentage of M30 is M18/M14.

Experimental lines entered in the Uniform Mississippi Valley Barley Nursery are readily available for use in breeding programs.

6B88-3213 is uniform and stable over ten years and eleven generations. Less than .5% of the plants were rogued from Breeder fields in 1995. Approximately 95% of the rogued variant plants were 2-4 centimeters taller than 6B88-3213. Less than .5% total variant plants may be encountered in subsequent generations.

Selection criteria used to breed 6B88-3213 is as follows:

Midwestern Six-rowed Barley:

Yield:

Greater than Stander

Maturity:

Equal to or earlier than Stander Equal to or greater than Stander

Straw strength: Kernel plumpness:

Equal to or greater than Stander

Equal to or less than Morex

Protein: Diastatic power:

Equal to or greater than Morex Equal to or greater than Morex

Extract: Alpha amylase:

Equal to Morex

Viscosity:

Equal to or less than Morex

Turbidity:

Equal to or less than Morex

## EXHIBIT B

## STATEMENT OF DISTINCTNESS

\*B3213' 6B88-3213 is most similar to the spring barley variety "B1602", however it can be distinguished by the following morphological characteristics.

6B88-3213 has semi-smooth lemma awns. B1602 has rough lemma awns.

## AMENDMENT TO EXHIBIT B

PV Application No. 9600084, BARLEY, < 6B88-3213> 33213

We have compiled statistical differences between B1602 and 6B88-3213 for percentage of plump kernels, protein and difference in diastatic power. Please see attached pages. Also, 6B88-3213 has short rachilla hair and the rachilla hair of B1602 is long.

5

# PV Application No. 9600084, Barley <6B88-3213> 'B3213' STATISTICAL TABLE FOR PERCENT PLUMP

7 6 to 4/16/96 MAH

VARIETY	MEAN	SD	DIFF	N	t	р
3213	77.51	11.503	18.272	18	4.0673	0.001
B1602	59 24	17 648				

## STATISTICAL TABLE FOR PERCENT PROTEIN

VARIETY	<b>MEAN</b>	SD	DIFF	N	t	р
3213	13.15	0.91	0.66	17	2.13	0.05
B1602	12.50	0.96				

## STATISTICAL TABLE FOR DP

VARIETY	MEAN	SD	DIFF	N	t	р
3213	183.55	22.86	28.82			•
B1602	154.74	17.97				

## Key:

SD - Standard Deviation

DIFF - The difference between the parameter for 3213 and B1602.

N - The number of observations

t - The t value from Student's t statistic

p - The probability value associated with the t value

# PV Application No. 9600084, Barley <6B88-3213> 'B 3213'

per letter 4/16/96

CL 6	YR 95	REG MW	LO BT	TRL 6301	ENTRY 6B88-3213	PLUMF 83.6		
6	95	MW	МН	6301	6B88-3213	68.3	3 13.7	157
6	95	MW		6301	6B88-3213	92.9		
6R	94	MW	вт	630	1 6B88-3213	78.8		
6R	94	MW	СК		1 6B88-3213	47.7		
6R	94	MW	МН		1 6B88-3213	78.1		165
6R		MW	SU		1 6B88-3213	78.6		
6R		MW	TM	630	1 6B88-3213	91.2	13.1	190
6R		MW	CK		2 6B88-3213	64.9		
6R	94	MW	МН	630	2 6B88-3213	68.7	13.0	163
6R	94	MW	SU	6302	2 6B88-3213	79.5	13.5	223
6R	94	MW	TM	6302	2 6B88-3213	90.0	14.4	179
6R	94	MW	МН	6303	3 6B88-3213	81.6	13.4	163
6R	94	MW	МН	6304	6888-3213	68.9	13.0	167
6R	92	MW	СК	6301	6B88-3213	68.1	12.0	230
6R	92	MW	МН	6301	6B88-3213	89.4	12.1	205
6R	92	MW	SU	6301	6B88-3213	77.7	12.8	204
6R		MW		6301	6B88-3213	87.2	12.9	182
TÇ	92	MW	SU	6301	6B88-3213		11.2	151
					COUNT	18	17	17
		-			AVE	77.5	13.2	183.55
					p=	0.001	0.049	0.0003
					T	4.07	2.13	4.6368
					SD	11.5	0.91	22.858
6	95	MW	вт	6301	B1602	57.4	12.2	141
6	95	MW	MH (	6301	B1602	47.6	12.9	144
6		MW	TM (		B1602	74.8	14.7	172
6R	94		ВТ		B1602	8.86	13,3	169
6R	94 N		CK		B1602	43.9		
6R 6R	94 N 94 N		MH		B1602	48.3	11.7	142
6R	94 N		SU TM		B1602 B1602	77.0	14.2	180
SR	94 N		CK		B1602	84.4 42.0	11.8	152
SR	94 N		VIH		B1602	37.0	12.6	152
3R	94 N				B1602	71.3	12.7	199
5R	94 N				B1602	81.5	13.2	144
SR.	94 N	1W			B1602	49.4	12.1	136
SR.	94 N	IVV I	ИΗ	6304	B1602	48.4	12.3	134
R	92 N		CK 6		B1602	26.5	11.6	170
SR -	92 N		MH 6		B1602	87.0	11.6	147
R	92 1		SU 6		B1602	56.9	11.4	142
R	92 N		TM 6		B1602	64.1	12.9	163
C	92 M	WV S	SU 6	301	B1602		11.4	142
					COUNT	18	17	17
					AVE			17 154.74
					SD	17.6		17.966

# PV Application No. 9600084, Barley <6B88-3213> いらろこいる

Key:

CL - Class, 2 or 2R means two rowed barley, 6 or 6R means six rowed barley

YR - Year the data were gathered: 95=1995 94=1994, 93=1993, 92=1992

REG - Region the crop was grown. MW refers to the midwest region

LO - Location the crop was grown: CK=Crookston,MN; MH=Moorhead,MN; SU=Sutton,ND; TM=St.Thomas,ND; BT=Bottineau,ND.

TRL - Trial, the experiment number the variety was grown in.

ENTRY - The name assigned to the genotype for testing

PLUMP - The percent plump

PROT - The percent protein

DP - Diastatic power

COUNT - The number of observations

AVE - The mean of the data values

p - The probability value associated with the t value

T - The t value from Student's t statistic

SD - The standard deviation of the data values

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK AND SEED DIVISION BELTSVILLE, MARYLAND 20706

EXHIBIT C (Barley)

# OBJECTIVE DESCRIPTION OF VARIETY

NAME OF APPLICANTS	FOR OFFICIAL USE ONLY
BUSCH AGRICULTURAL RESOURCES, INC.  ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)	9600084 ····
3515 EAST COUNTY ROAD 52	VARIETY NAME OF TEMPORARY
FT. COLLINS, CO 80524	6B88=3213 13-3213
Place the appropriate number that describes the varietal charact Place a zero in first box (i.e. 089 or 09) when number	ter of this variety in the boxes below.
1. GROWTH HABIT:	
1 1 - SPRING 2 - FACULTATIVE WINTER 3 - WINTER	3 Early Growth: 1 = PROSTRATE 2 = SEMIPROSTRATE 3 = ERECT
2. MATURITY (50% Flowering):	
2 1 = EARLY (California Mariout) 2 = MIDSEASON (Betzes)	3 = LATE (Frontier)
No. of days Earlier than	ALIFORNIA MARIOUT 3 = CONQUEST 4 = DICKSON
2 No. of days Later than 8 5 = PIROLINE 6 = 1	PRIMUS 7 - UNITAN 8 = MOREX
3, PLANT HEIGHT (From soil level to top of head):	
3 1 = SEMIDWARF 2 = SHORT (California Mariout) 3 = ME	EDIUM TALL (Betzes) 4 = TALL (Conquest)
0 9 Cm. Shorter than 8 1 - BETZES 2 - C.	ALIFORNIA MARIOUT 3 - CONQUEST _ 4 - DICKSON
Cm. Taller than	PRIMUS 7 - UNITAN 8 = MOREX
. STEM:	
1 = 0 - 3 cm, 2 = 3 - 10 cm, Exertion (Flag to spike at maturity): 3 = 10 - 15 cm,	1 Anthocyanin: 1 - ABSENT 2 - PRESENT
0 5 NO. OF NODES (Originating from node above ground)	
4 Collar Shape: 1 = CLOSED 2 = V-SHAPED 3 = OPEN 4 = MODIFIED CLOSED OR OPEN	3 Shape of Neck: 1 = STRAIGHT 2 = SNAKY 3 = OTHER (Specify) - SLIGHTLY - SNA)
LEAF:	1 = DROOPING
Basal leaf sheath (seedling): 1 = GLABROUS 2 = PUBESCENT	2 Position of flag leaf (at boot stage): 2 = UPRIGHT
1 Waxiness: 1 = ABSENT (Glossy) 2 = SLIGHTLY WAXY 3 = WAXY	2 1 MM, WIDTH (First leaf below flag leaf)
2 3 CM. LENGTH (First leaf below flag leaf)	1 Anthocyanin in leaf sheath: 1 = ABSENT 2 = PRESENT
HEAD:	<u> </u>
Type: 1 = TWO-ROWED 2 = SIX-ROWED	1 = LAX 2 = ERECT (Not dense) 3 = ERECT (Dense)
Shape: 1 = TAPERING 2 = STRAP 3 = CLAVATE 4 = OTHER (Specify)	2 Waxiness: 1 = ABSENT (Glossy) 2 = SLIGHTLY WAXY 3 = WAXY
2 Lateral Kernels Overlap: 1 = NONE 2 = AT TIP 3 = 1/4 - 1/2 OF HEAD	2 Rachis (Hair on edge): 1 = LACKING 2 = FEW 3 = COVERED
GLUME:	
2 Length: 1 = 1/3 OF LEMMA 2 = 1/2 OF LEMMA 3 = MORE THAN 1/2 OF LEMMA	2 Hairs: 1 - NONE 2 - SHORT 3 - LONG
Hair covering: 1 = NONE 2 = RESTRICTED TO MIDDLE	3 - CONFINED TO BAND 4 - COMPLETELY COVERED
Awris: 1 = LESS THAN EQUAL TO LENGTH OF GLUMES 3 = MORE THAN EQUAL TO LENGTH OF GLUMES	2 - EQUAL TO LENGTH OF GLUMES
Awn Surface: 1 = SMOOTH 2 = SEMISMOOTH 3 = ROU	gн С

8. LEMMA:		<del> </del>	
5 Awn: 1-	AWNLESS 2 = AWNLETS ON CENTRAL F SHORT ON CENTRAL FIOWS, AWNLETS ON LONG (longer than spike) 6 = HOODED		TERAL ROWS  SHORT (less than equal to length of spike)
3 Awn Surface:	1 - AWNLESS 2 - SMOOTH 3 - SEMIS	SMOOTH 4 = ROUGH	· · · · · · · · · · · · · · · · · · ·
3 Teeth: 1 = A	BSENT 2 - FEW 3 - NUMEROUS	1 Hair: 1 = Ai	BSENT 2 - PRESENT
1 .Shape of base:	1 = DEPRESSION 2 = SLIGHT CREASE 3 = TRANSVERSE CREASE	1 Rachilla Hairs	1 - SHORT 2 - LONG
9. STIGMA;			
2 Hairs: 1 = FE	EW 2 - MANY	•	
10. SEED:			
	AKED 2 = COVERED	Hairs on Ventra	d Furrow: 1 = ABSENT 2 = PRESENT
4 Length: 1 = 5	SHORT (8.0 mm.) 2 = SHORT TO MIDLONG MIDLONG TO LONG (9.0 - 10.5 mm.)	G (7.5 - 9.0 mm.) 3 = 5 =	MIDLONG (8.5 - 9.5 mm.) LONG (10.0 mm.)
3 Wrinkling of hu	1: 1 = NAKED 2 = SLIGHTLY WRINKLE	D 3 - SEMIWRINKL	ED 4 - WRINKLED
1 Aleurone Color:	: 1 = COLORLESS (White or Yellow) 2 = 1	BLUE	
0 0 PERCENT	ABORTIVE	3 9 GMS. PER	1000 SEEDS
11. DISEASE: (0 = No	ot Tested, 1 = Susceptible, 2 = Resistant)		
2 SEPTORIA	2 NET BLOTCH	2 SPOT BLOTCH	2 POWDERY MILDEW
0 LOOSE SMUT	BACTERIAL BLIGHT	0 COVERED SMUT	0 FALSE LOOSE SMUT
2 STEM RUST	2 LEAF RUST	0 SCAB	1 SCALD
O AY	0 BSMV	.0 BYDV	O OTHER (Specify)
12. INSECT: (0 = Not to	ested, 1 = Susceptible, 2 = Resistant)		
0 GREEN BUG	0 ENGLISH GRAIN APHID.	0 CHINCH BUG	0 ARMYWORM
0 GRASS HOPPERS	O CERIAL LEAF BETTLE	0 OTHER (Specify)	
HESSIAN FLY R	ACES O GP O A	0 B 0 C	
	0 D 0 E	OF OG	
13. CHEMICAL IO = No.	Tested, 1 = Susceptible, 2 = Resistant)	<u> </u>	
О рат	OTHER (Specify)		· · · · · · · · · · · · · · · · · · ·
14, INDICATE WHICH V	ARIETY MOST CLOSELY RESEMBLES THAT	SUBMITTED:	
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
- Plant tillering	B1602	Seed size	B1602
Leaf size	B1602	Coleoptile alongation	B1602
Leaf color	B1602	Seedling pigmentation	B1602
Leaf carriage	B1602	Committee of the control of the cont	
	lowing publications may be used as a refere	nce aid for the standar	dization of character/descriptions and
	,		more record for the first war war in the first December 1971 and 1

terms used in this form:

1. Wiebe, G. A., and D. A. Reid, 1961, Classification of Barley Varieties Grown in the United States and Canada Od A 1988, Teding of Bulletin No. 1224, U.S. Dept. of Agriculture.

2. Reid, D. Alland G. A. Wiebe, 1968, Barley: Origin, Botany, Culture, Winter Hardiness, Genetics, Utilization, Pests, Agriculture Handbook No. 338, U.S. Dept. of Agriculture. pp. 61-84.

3. Malting Barley Improvement Association, Milwaukee, Wisconsin, 1971, Barley Variety Dictionary.

**EXHIBIT D** 

## **BOTANICAL DESCRIPTION OF 6B88-3213**

1B3213

6B88-3213 is a six-rowed, early maturing spring barley bred and developed by Busch Agricultural Resources, Incorporated at Ft. Collins, Colorado. It has excellent straw strength and malting quality.

Juvenile growth habit is erect. Plant color at boot is green with an upright and curled flag leaf. Inclined parallel head is mid-lax in density with a straight to slightly snaky neck. Collar is variable with saucer and cup types. First rachis segment is either long and narrow or short and wide. Base of the first segment is a margin flange. Rachis shape is plain with short hairs sparsely covering the rachis. Kernel overlap is one quarter the length of the spike to the tip. Glume length compared to the kernel is one half the length. Glume hair is short and confined to a band. Glume awns are rough and more than the length of the glume. Lemma awns are longer than the spike and semi-smooth with anthocyanin present at the tips. Seed is covered, midlong to long, finely wrinkled and waxy. Aleurone is colorless. Lemma base is a depression. Palea tips are long. Rachilla hair is short and sparse. Ventral crease is V-shaped and lacks crease hair. Fence hair is lacking.

6B88-3213 is a Midwestern six-rowed variety well adapted to North Dakota and Minnesota.

Per 1611e 4/16/96 MAN


# EXHIBIT H AGRONOMIC AND QUALITY DATA SEE ATTACHED PAGES

6B88-3213
1995 MIDWESTERN SIX-ROWED A.M.B.A. TESTING CANDIDATE

<del></del>					PLONC	INIIC OOL	VIIVIAR Y						
_		YIE	LD (%	EXCE	EL)		(76)	(53)	(67)	(67)	(36)	(43)	(38)
LINE OR	(3)	(4)	(26)	(29)	(22)	(84) H		• •	LDG		TEST	NET	SPOT
VARIETY B3213 '	<u>91</u>	<u>92</u>	<u>93</u>	<u>94</u>	<u>95</u>	AVE	<u>1/1</u>	<u>CM</u>	<u>1-9</u>		<u>WT</u>		BLOTCH
6B88-3213 >	95	95	101	96	93	96	181	83	2.1	3.2	48.4	6.1	4.4
EXCEL	100 (58) *	100 (121)	100 (86)	100 (81)	100 (72)	100 (82)	183	85	3.1	3.9	47.5	6.8	4.0
ROBUST	93	91	95	95	93	94	183	91	3.1	3.9	47.9	6.4	4.7

1991-95 DATA, () = STATION YEARS \* BUSHEL / ACRE

•	QUALITY SUMMARY											
				EXTR	ACT					<u>'</u>		
	(27)	(28)	(14)	(27)	(14)	(14)		(28)			WORT	
LINE OR	%	MALT				WORT	(28)	SOL	(28)	(28)	(3)	(28)
VARIETY	PLUMP	PROT	<u>GRD</u>	GRD	DIF	<u>VIS</u>	<u>S/T</u>	PROT	<u>DP</u>	<u>AA</u>	CLR	<u>TUR</u>
6B88-3213	70.9	13.3	77.9	76.2	1.13	1.45	43.8	5.8	186	66.8	2.1	8
MOREX	<b>5</b> 8.7	14.0	77.2	75.3	1.73	1.46	44.6	6.2	174	66.8	2,3	8
ROBUST	72.2	14.0	77.7	74.4	2.87	1.50	40.7	5.7	170	50.2	1.9	6
	1099 05	DATA	() <b>-</b> 0	TATIO	\$1.V=							



## STATISTICAL TABLE FOR PLANT HEIGHT

VARIETY	MEAN	SD	DIFF	N	t	· p
<sup>4</sup> B3213	80.43	6.74	5.25	15	2.16	0.05
B2601	75.18	7.36				

The probability that the difference in means of plant height is significant at the 5% level

# STATISTICAL TABLE FOR MATURITY

VARIETY	MEAN	SD	DIFF	. N	t	р
B3213	3.06	0.68	-0.65	17	3.60	0.002
B2601	3.71	0.47				4.3

The probability that the difference in means of maturity is significant at the 0.2% level

## EXHIBIT E.

## STATEMENT OF THE BASIS OF APPLICANT'S OWNERSHIP

Busch Agricultural Resources, Incorporated is applicant for protection in this case being:

a). The incorporated business registered in Delaware for and within which regular employees have bred 6B88-3213. 'B 3213 '

per lette 4/16/26 moss

b). The proprietary owner and intending commercial seller of 6B88-3213.

#### AMENDMENT TO EXHIBIT E

PV Application No. 9600084, BARLEY, \$6888-3213> 13 3213

per letter 4/16/96 mass

6B88-3213 is a six-rowed spring barley for which Plant Variety Protection is hereby sought was developed by Dr. Les Wright, an employee of Busch Agricultural Resources, Incorporated. By agreement between employees and Busch Agricultural Resources, Incorporated: all rights to any invention, discovery, or development made by the employee while employed by Busch Agricultural Resources, Incorporated, were assigned to Busch Agricultural Resources, Incorporated with no rights of any kind pertaining to 6B88-3213 being retained by the employee.